

Maximizing Nourishment Throughout the Progression of Amyotrophic Lateral Sclerosis (ALS) References

Dobak S. [Nutrition Issues in Gastroenterology, Series #220: Nutritional Care of the Patient with Amyotrophic Lateral Sclerosis](#). *Practical Gastro*. 2022;XLVI(4):60-67.

Marin, B. et al. Alteration of nutritional status at diagnosis is a prognostic factor for survival of amyotrophic lateral sclerosis patients. *J Neurol Neurosurg Psychiatry*. 2011;82(6):628–634. <https://doi.org/10.1136/jnnp.2010.211474>.

Roubeau V. et al. Nutritional assessment of amyotrophic lateral sclerosis in routine practice: Value of weighing and bioelectrical impedance analysis. *Muscle Nerve*. 2015;51:479-484. <https://doi.org/10.1002/mus.24419>.

Lopez-Gomez J. et al. Malnutrition at diagnosis in amyotrophic lateral sclerosis (ALS) and its influence on survival: Using GLIM criteria. *Clin Nutr*. 2021;40(1):237-244. <https://doi.org/10.1016/j.clnu.2020.05.014>.

Dardiotis E. et al. Body mass index and survival from amyotrophic lateral sclerosis: A meta-analysis. *Neurol Clin Pract*. 2018;8(5):437-444. <https://doi.org/10.1212/CPJ.0000000000000521>.

Brooks B. et al. [Edaravone in the Treatment of Amyotrophic Lateral Sclerosis: Efficacy and Access to Therapy – A Roundtable Discussion](#). *AJMC Supplement*. 2018.24(9):S187-S193.

Kasarskis E. et al. Estimating daily energy expenditure in individuals with amyotrophic lateral sclerosis. *Am J Clin Nutr*. 2014;99(4):792-803. <https://doi.org/10.3945/ajcn.113.069997>.

Rio A. et al. Nutritional advice and treatment by dietitians to patients with amyotrophic lateral sclerosis/motor neuron disease: a survey of current practice in England, Wales, Northern Ireland, and Canada. *J Human Nutr and Diet*. 2007;20(1):3-13. <https://doi.org/10.1111/j.1365-277X.2007.00745.x>.

Kasarskis E. et al. Nutritional status of patients with amyotrophic lateral sclerosis:relation to the proximity of death. *Am J Clin Nutr*. 1996;63(1):130-137. <https://doi.org/10.1093/ajcn/63.1.130>.

Paipa A. et al. Survival benefit of multidisciplinary care in amyotrophic lateral sclerosis in Spain: association with noninvasive mechanical ventilation. *J Multidiscip Healthc*. 2019;19(12):465-470. <https://doi.org/10.2147/JMDH.S205313>.

Spataro R. et al. Percutaneous endoscopic gastrostomy in amyotrophic lateral sclerosis: effect on survival. *J Neurol Sci*. 2011;304:44-48. <https://doi.org/10.1016/j.jns.2011.02.016>.

Fasano A. et al. Percutaneous endoscopic gastrostomy, body weight loss and survival in amyotrophic lateral sclerosis: a population-based registry study. *Amyotroph Lateral Scler Frontotemporal Degener*. 2017;18:233-242. <https://doi.org/10.1007/s00415-015-7646-2>.

Korner S. et al. Weight loss, dysphagia and supplement intake in patients with amyotrophic lateral sclerosis: impact on quality of life and therapeutic options. *BMC Neurol*. 2013;13:84. <https://doi.org/10.1186/1471-2377-13-84>.

Zamietra K. et al. Non-invasive ventilation and gastrostomy may not impact overall quality of life in patients with ALS. *Amyotroph Lateral Scler*. 2012;13:55-58. <https://doi.org/10.3109/17482968.2011.641570>.

McDonnell E. et al. Causal inference methods to study gastric tube use in amyotrophic lateral sclerosis. *Neurology*. 2017;89(14):1483-1489. <https://doi.org/10.1212/WNL.0000000000004534>.

Willis A. et al. Nutritional counseling with or without mobile health technology: a randomized open-label standard-of-care-controlled trial in ALS. *BMC Neurol*. 2019;19(1):104. <https://doi.org/10.1186/s12883-019-1330-6>.

Epp L. et al. Blenderized tube feedings: Practice recommendations from the American Society for Parenteral and Enteral Nutrition. *Nutr. Clin. Pract.* 2023;1-30. <https://doi.org/10.1002/ncp.11055>.

Cook R. [The Blenderized Tube Feeding Recipe Builder](#). Licensed from Children's Hospital of Philadelphia. 2024.

Lopez-Gomez J. et al. Impact of Percutaneous Endoscopic Gastrostomy (PEG) on the Evolution of Disease in Patients with Amyotrophic Lateral Sclerosis (ALS). *Nutrients*. 2021 Aug 12;13(8):2765. <https://doi.org/10.3390/nu13082765>.

Kariya C. et al. Blenderized Tube Feeding and Enterostomy Tube Occlusions Among Adults with Amyotrophic Lateral Sclerosis and Primary Lateral Sclerosis. *Canadian Journal of Dietetic Practice and Research*. 2021;82(4). <https://doi.org/10.3148/cjdp-2021-019>.

Schultz E. & Kim Y. Clinical outcomes associated with blenderized tube feedings in adults: A systematic review. *Nutr Clin Pract*. 2023 Oct 22. <https://doi.org/10.1002/ncp.11087>.

Bedlack R., et al. ALSUntangled #62: Vitamin C. *Amyotroph Lateral Scler Frontotemporal Degener*. 2022 Aug;23(5-6):476-479. <https://doi.org/10.1080/21678421.2021.1946088>.

Walker S, Johnson T, Carter H, Spurlock A, Johnson K, Hussey J. Blenderized Food Tube Feeding in Very Young Pediatric Patients with Special Health Care Needs. *Nutr Clin Pract*. 2023;1-8. <https://doi.org/10.1002/ncp.10975>.

Batsis ID, Davis L, Prichett L, et al. Efficacy and Tolerance of Blended Diets in Children Receiving Gastrostomy Feeds. *Nutr Clin Pract*. 2020;35(2):282-288. <https://doi.org/10.1002/ncp.10406>.

Hron B, Fishman E, Lurie M, et al. Health Outcomes and Quality of Life Indices of Children Receiving Blenderized Feeds via Enteral Tube. *J Pediatr*. 2019;211:139-145. <https://doi.org/10.1016/j.jpeds.2019.04.023>.

Pentiuk S, O'Flaherty T, Santoro K, et al. Pureed by Gastrostomy Tube Diet Improves Gagging and Retching in Children with Fundolipication. *Nutr Clin Pract*. 2022;37:615-23624. <https://doi.org/10.1177/01486071110377797>.

Gallagher K, Flint A, Mouzaki M, et al. Blenderized Enteral Nutrition Diet Study: Feasibility, Clinical, and Microbiome Outcomes of Providing Blenderized Feeds Through a Gastric Tube in Medically Complex Pediatric Population. *JPEN*. 2018;42:1046-1060. <https://doi.org/10.1002/jpen.1049>.

Kernizan D, Mintz D, Colin M, et al. Outcomes and Safety of Blenderized Tube Feedings in Pediatric Patients: A Single Center's Experience. *JPGN*. 2020;71:124128. <https://doi.org/10.1097/MPG.0000000000002853>.

Schmidt S, Kulig W, Winter R, et al. The effect of a natural food based tube feeding in minimizing diarrhea in critically ill neurological patients. *Clin Nutr*. 2019;38:332-340. <https://doi.org/10.1016/j.clnu.2018.01.007>.

Chandrasekar N, Dehlsen K, Leach S, et al. Blenderised Tube Feeds vs Commercial Formula: Which is Better for Gastrostomy-Fed Children? *Nutrients*. 2022;14(15):3139. <https://doi.org/10.3390/nu14153139>.

Bouteloup C, Desport JC, Clavelou P, et al. Hypermetabolism in ALS patients: an early and persistent phenomenon. *J Neurol*. 2009;256(8):1236-1242. <https://doi.org/10.1007/s00415-009-5100-z>.